arXiv:0901.3517v2 [cond-mat.str-el] 23 Jan 2009

Ferromagnetism in two band metals: Combined effect of Coulomb correlation, hybridization and band widths

C. M. Chaves [a] A. Troper [a,b]

[a] *Centro Brasileiro de Pesquisas Físicas, Rua Xavier Sigaud 150,Rio de Janeiro, 22290-180, RJ, Brazil*

[b] *Universidade do Estado do Rio de Janeiro,Rua S. Francisco Xavier 524, Rio de Janeiro, Brazil*

Abstract

We study the possibility of ferromagnetism in metals. The metal is described by two hybridized bands one of which includes Hubbard correlation whereas the other is uncorrelated. We parametrize the ratio of the band widths and their centers as well. The original Hamiltonian is transformed in an effective and simpler one. Only one site retains the full correlation (U) while in the others acts as an internal field, the self-energy, in the framework of an alloy analogy approximation. This field, in turn, is self-consistently determined by imposing the translational invariance of the problem. For several total electronic occupation numbers (n_{total}) we compare the spin dependent free energies with the corresponding paramagnetic ones. We present several results pointing out the mechanism by which the self-consistency introduces a sort of constraints, for given values of band width and band shift .

Key words:
PACS: 71.10.-w, 71.10.Fd

1 Formulation of the problem

The origin of magnetism in itinerant ferromagnets has been object of concern in last years [1,2,3,4]. In an previous work [5] we have developed a two band

* *Email address:* cmch@cbpf.br (C. M. Chaves).

[1] Partially supported by the brazilian agencies CNP_q and PCI/MCT

symmetric model to describe the effect of Coulomb correlation in these metals. It consisted of a Hubbard like narrow band (band a) with intrasite Coulomb interaction U, hybridized with another band, which is broad and uncorrelated (band b), through the hybridization coupling V_{ab}. Now we allow a shift between the centers of the two bands in order to describe a more general and realistic band strucuture; we also let the band b width varies. Both have strong influence on the kind of magnetic state of the metal.

As in Roth's approach[6], the correlation is present in only one site (say, the origin), while in the others acts an effective spin and energy dependent but site independent field, the self-energy Σ^σ. This field is self-consistently determined by imposing the vanishing of the scattering T matrix associated to the origin, thus restoring the translational invariance of the host. The effective Hamiltonian is

$$\mathcal{H}_{eff} = \sum_{i,j,\sigma} t^a_{ij} a^+_{i\sigma} a_{j\sigma} + \sum_{i,j,\sigma} t^b_{ij} b^+_{i\sigma} b_{j\sigma} \tag{1}$$

$$+ \sum_{i\neq 0,\sigma} n^a_{i\sigma}\Sigma^\sigma + U n^a_{0\uparrow} n^a_{0\downarrow} + \sum_{i,j,\sigma} (V_{ab} b^+_{i\sigma} a_{j\sigma} + h.c.) \tag{2}$$

where $n^a_{i\sigma} = a^+_{i\sigma} a_{i\sigma}$ and σ denotes spin. t_{ij} denotes the tunneling amplitudes between neighboring sites i and j , in each band. Even with this single-site approximation (SSA), $\mathcal{H}_{eff}$ describes in a quite satisfactory way the physics of these systems but we still need to resort to further approximations. And these include the decoupling in the Green function and the self consistency generated by the vanishing of the scattering T matrix. The main equations we get are:

$$G^a_{kk',\sigma}(w) = \frac{\delta_{kk'}}{w - \tilde{\epsilon}^a_k - \Sigma^\sigma(w)}, \tag{3}$$

the Green function of the a band, where

$$\tilde{\epsilon}^a_k = \epsilon^a_k + \frac{|V_{ab}|^2(k)}{w - \epsilon^b_k}, \tag{4}$$

is the recursion relation of the renormalized a band and ϵ^a_k and ϵ^b_k denote the bare bands, with

$$\epsilon^a_k = \frac{t_a(cos(k_x a) + \cos(k_y a) + \cos(k_z a))}{A}. \tag{5}$$

In this paper we use $t_a = 1$ and $A = 3$, in arbitrary energy units. All energy magnitudes are taken in units of t_a, making them dimensionless. The bare a band width is then $W = 2$.

We use homothetic bands

$$\epsilon_k^b = \epsilon_s + \alpha \epsilon_k^a. \tag{6}$$

ϵ_s is the center of the b band and represents a shift in the bands. α is a phenomenological parameter describing the ratio of the effective masses of the a and the b electrons. From now on we take $k_i a \rightarrow k_i, i = x, y, z$ and $V_{ab} = V_{ba} \equiv V =$ real and constant independent of k_i.

In Fig. 1 we display typical value for the density of states (DOS) of the bare bands when $\alpha = 2.5$ and $\epsilon_s = 1.5$.



Fig. 1. DOS of the bare a and b bands ($U = 0$, $V = 0$) for $\alpha = 2.5$ and $\epsilon_s = 1.5$.

The vanishing of the T-matrix gives a self-consistent equation for the self-energy:

$$\Sigma^\sigma = U \langle n_{0-\sigma}^a \rangle + (U - \Sigma^\sigma) F^\sigma(w, \Sigma^\sigma) \Sigma^\sigma, \tag{7}$$

with

$$F^\sigma(w, \Sigma^\sigma) = N^{-1} \sum_k G_{kk,\sigma}^a, \tag{8}$$

where $\langle n_{0-\sigma}^a \rangle$ is an initial guess for a-band occupation number at the origin.

2 The method in action : numerical results

The self-consistency is performed both in Σ^σ and in $\langle n_{0,\sigma}^a \rangle$, for each total occupation $n_{total} = \langle n^a \rangle + \langle n^b \rangle$. The total number of electrons per site is a constant of motion. The self-consistency and the dynamics distribute the electrons among $\langle n_{0,\uparrow}^a \rangle$, $\langle n_{0,\downarrow}^a \rangle$ and $\langle n^b \rangle$, eventually producing a ferromagnetic state (it turns out that the b-band is allways paramagnetic for the range of

parameters used in this work). We want now to exhibit the combined effect of U, V, α and ϵ_s on this process at $T = 0K$. The effect of V and ϵ_s , apart from transfering electrons from one band to the other, is to produce band broadening[2] in both bands.

In Fig. 2 it can be seen the process by which an initial guess, denoted by the point $(\langle n^a_{0,\uparrow}\rangle, \langle n^a_{0,\downarrow}\rangle)$, labeled 1, converges, here after five steps, for $U = 3$, $V = 0.4$, $\alpha = 1.5$ and $\epsilon_s = 1.0$, to point 6, whose coordinates differ from those of point 5 by less than $eps = 0.005$. In some situations the number of steps needed to achieving convergence may be larger.



Fig. 2. This ilustrate the process of convergence through self-consistency for the $\langle n^a_\uparrow\rangle$ and $\langle n^b_\downarrow\rangle$. Point 1 was our initial guess for $U = 3$, $V = 0.4$, $\alpha = 1.5$, $\epsilon_s = 1.0$ and $n_{total} = 1.8$. Then the path $1 \to 2 \to 3 \to 4 \to 5 \to 6$ is generated in the process. Only in the last step the coordinates of the output, point 6, differ from that of the previous point, 5, by less than $eps = 0.005$.

In Fig. 3 we plot the converged values of $\langle n^a_\sigma\rangle$,$\sigma = \uparrow, \downarrow$ in an interval of n_{total} for $U = 4$, $V = 0.4$, $\alpha = 2.5$ and $\epsilon_s = 1.5$. For n_{total} less than ~ 1.4 the system is basically paramagnetic.



Fig. 3. Converged values of $\langle n^a_\sigma\rangle$ for an interval of n_{total} for $U = 4$, $V = 0.4$, $\alpha = 2.5$ and $\epsilon_s = 1.5$.

In Fig. 4 we exhibit the ratio of n_a/n_b versus n_{total} as obtained from the process of convergence and self-consistency. Here $U = 4$, $V = 0.4$, $\alpha = 2.5$ and $\epsilon_s = 1.5$. It is seen that for small n_{total} the method distributes most of the electrons into the a-band.



Fig. 4. Ratio of the converged values of $\langle n^a \rangle / \langle n^b \rangle$ for an interval of n_{total}. Here $U = 4$, $V = 0.4$, $\alpha = 2.5$ and $\epsilon_s = 1.5$. It is seen that for this values of the parameters $\langle n^a \rangle \gg \langle n^b \rangle$.



Fig. 5. a-band magnetization versus n_{total} for $U = 4$, $V = 0.4$, $\alpha = 2.5$ and $\epsilon_s = 1.5$.

In Fig. 5 it is plotted magnetization versus n_{total} when $U = 4$, $V = 0.4$, $\alpha = 2.5$ and $\epsilon_s = 1.5$. In agreement with Fig. 3 the magnetization starts at $n_{total} \sim 1.4$ and increases monotonically up to $n_{total} = 1.8$. For the same values of parameters the internal energy of the ferromagnetic state is compared with that of the paramagnetic one in Fig. 6, for the same range of n_{total}. The



Fig. 6. Free energy of the metal versus n_{total} for $U = 4$, $V = 0.4$, $\alpha = 2.5$ and $\epsilon_s = 1.5$ for the paramagnetic and the ferromagnetic states.

difference between them is rather small and oscilatting with n_{total}. Several

factors influence on this: the small separation of the correlated a^σ bands and the contibution of the uncorrelated b band, which may be of the same order in both states and even overcomes the contribution of the a band for some occupation n_{total}. From Fig. 7 it can be seen that the b band contribution competes with the one from the a band if E_F crosses the Hubbard gap. So we expect that band degeneracy may be crucial to stabilize the ferromagnetic state. A systematic study of this problem, varying the paramenters U, V, α ,



Fig. 7. DOS of the a and b bands. The latter is non magnetic. Here $U = 4$, $V = 0.4$, $\alpha = 2.5$, $\epsilon_s = 1.5$ and $n_{total} = 1.6$. The Fermi energy is at $E_F = 0.872$ and the magnetization is $m = 0.134$. Both bands broad under the effct of V and ϵ_s.

ϵ_s, including the degeneracy of the a band that allows also a exchange term, as well the generation of a phase diagram is now in progress[10].

References

[1] A. Georges, G. Kotliar, W. Krauth and M. Rozenberg, Rev. Mod Phys **68**, 13 (1996).

[2] S. Schwieger and W Nolting, Phys. Rev. B147 (2001)144415.

[3] B. Bernhard, Journal of Mag and Magn Mat 320 (2008)E440.

[4] R. Hayn, P. Lombardo and K. Matho, Phys. Rev. B74, (2006) 064403

[5] C. M. Chaves, A. Gomes and A. Troper, Physica B403, (2008) 1459.

[6] L.M.Roth, in AIP Conference Proceedings **18**, Magnetism and Magnetic Materials,(1973).

[7] J. Hubbard, Proc. Royal Soc.**A281**, 401 (1964).

[8] C. D. Batista, J. Bonča and J. E. Gubernatis, Phys. Rev. Letters **88**, 187203 (2002).

[9] D. Vollhardt *et al*, Adv. Solid State Phys.**38**, 383 (1999).

[10] C. M. Chaves and A. Troper to be published.